

TODAY'S STATE OF VULNERABILITY RESPONSE:

PATCH WORK DEMANDS ATTENTION



In the last two years, 48% of companies have experienced a data breach, and the severity and volume of cyberattacks continue to increase. A global survey of nearly 3,000 cybersecurity professionals shows that organizations can dramatically reduce the risk of being breached by improving end-to-end vulnerability response processes.



TABLE OF CONTENTS

- 1. EXECUTIVE SUMMARY 1
- 2. METHODOLOGY 2
- 3. ALMOST HALF OF BUSINESSES HAVE HAD A RECENT DATA BREACH . 3
- 4. HACKERS ARE OUTPACING SECURITY TEAMS . . 4
- 5. CHARACTERISTICS OF HIGH-PERFORMING SECURITY ORGANIZATIONS . . 5
- 6. THE SCANNING GAP 6
- 7. MANUAL PROCESSES AND SILOED TOOLS DELAY PATCHING . . . 7
- 8. THE PATCHING PARADOX: HIRING MORE DOES NOT EQUAL BETTER SECURITY . 9
- 9. RECOMMENDATIONS 11
- 10. CONCLUSION 12


EXECUTIVE SUMMARY



Major data breaches attract widespread media coverage and intense public scrutiny. For organizations that suffer a breach, the consequences can be catastrophic, ranging from loss of brand reputation and consumer confidence through to economic impacts that severely damage the bottom line. As hackers ramp up their attacks and turn to advanced technologies such as artificial intelligence, it is essential that cybersecurity teams keep pace, fending off attacks and keeping sensitive data secure.



However, widely publicized data breaches are only the tip of the iceberg. ServiceNow surveyed nearly 3,000 cybersecurity professionals around the globe, and found that almost half of organizations suffered a data breach in the last two years. Of these, the majority said that they had been breached because of a vulnerability—for which a patch was already available. This highlights an overwhelming need for more effective vulnerability response, closing down these attack vectors before hackers strike.



To shine a light on the way forward, the study investigated the characteristics of organizations that avoided breaches. These organizations consistently rate their abilities higher in two key areas: detecting vulnerabilities and patching vulnerabilities in a timely manner. Of these, timely patching was the most significant factor.

However, many companies face the “patching paradox” —hiring more people does not equal better security. While security teams plan to hire more staffing resources for vulnerability response – and may need to do so—they won’t improve their security posture if they don’t fix broken patching processes. The study shows that firms struggle with patching because they use manual processes and can’t prioritize what needs to be patched first. Coordinating vulnerability response across multiple teams exacerbates this struggle, leading to long delays and vulnerabilities that slip through the cracks. Basic security hygiene is also a major issue – more than a third of breach victims don’t even scan for vulnerabilities.

Armed with these insights, this report presents a pragmatic roadmap for reducing data breaches. These recommendations include paying attention to basic hygiene items, breaking down silos between tools, creating structured workflows for vulnerability response processes, and automating these workflows as much as possible. By following these recommendations, companies can emulate the success of today’s cybersecurity leaders, dramatically reducing risk for their business and their customers.


METHODOLOGY



ServiceNow commissioned the Ponemon Institute to survey nearly 3,000 cybersecurity professionals. Respondents were based in Australia, France, Germany, Japan, the Netherlands, New Zealand, Singapore, the United Kingdom, and the United States, and represented companies with more than 1,000 employees. The survey was administered online.

Founded in 2002, the Ponemon Institute is a research center specializing in privacy, data protection, and information security policy.

ALMOST HALF OF BUSINESSES HAVE HAD A RECENT DATA BREACH



48% of respondents reported one or more data breaches in the last two years

Major data breaches are headline news. When a retailer exposes customer credit card numbers to hackers, the public outcry is immense. Financial institutions risk credibility and face intense government scrutiny when consumer financial data is compromised. Whenever cybercriminals steal personally identifiable information (PII), it is a public relations nightmare with long-lasting business consequences.

The costs are staggering. According to a 2017 Ponemon study, a breach involving as little as 10,000 records costs the breached party an average of \$2.8 million. Overall, the cost is \$141 for every record lost, and this rises to more than \$200 in the United States. Scale this to a breach affecting millions of records, and the bottom-line economic impact is enormous.

However, well-publicized breaches are only the tip of the iceberg. Among nearly 3,000 cybersecurity professionals surveyed by ServiceNow, almost half (48%) reported a data breach in the last two years. This result was relatively consistent across geographies, ranging from a low of 43% in Germany to a high of 52% in Australia/New Zealand. The US was far from immune, with 50% of respondents reporting data breaches.

HACKERS ARE OUTPACING SECURITY TEAMS



15%

15% increase in
cyberattack volumes
over the last 12 months



23%

23% increase in
cyberattack severity
over the last 12 months



54%

54% say attackers are
outpacing enterprises
with technology such as
machine learning and
artificial intelligence

These breach rates are likely to rise unless security teams adopt new approaches. The majority of survey respondents (54%) agreed that attackers are outpacing enterprises with technology such as machine learning and artificial intelligence (AI). Given the enormous potential for weaponized AI to transform hacking—everything from self-learning hivenets to radically more effective spear phishing—this is a significant source of concern.

This qualitative result is supported by data. Survey respondents reported an average 15% increase in cyberattack volumes over the last 12 months, and they said that the severity of these attacks increased by 23% over the same period.

Given this high and potentially growing breach rate, we wanted to know how high-performing security teams prevent breaches and what other teams can do to emulate their success.

CHARACTERISTICS OF HIGH-PERFORMING SECURITY ORGANIZATIONS

The survey investigated how organizational capabilities affect breach rates. Respondents were asked to rate their organization's ability on a scale of one to 10 in several key areas. They were divided into two groups: those that had been breached in the last two years and those that hadn't.

Two key capabilities stood out for companies that avoided breaches. On average, they rated themselves more highly on:

- The ability to detect vulnerabilities quickly (7.10 vs. 5.98, or 19% higher)
- The ability to patch vulnerabilities in a timely manner (6.72 vs. 4.78, or 41% higher)


Companies that avoided breaches rated their ability to patch vulnerabilities in a timely manner 41% higher than those that had been breached, and they rated their ability to detect vulnerabilities 19% higher.

Patching is the most significant characteristic of companies that were not breached in the last two years.


It isn't surprising that detecting vulnerabilities and patching vulnerabilities are key leadership characteristics. When a vulnerability is made public and a patch is released, the race is on. If a hacker can successfully attack before the target patches the vulnerability, there is a high risk of a data breach. And, hackers appear to be winning the race. Fully 57% of respondents who reported a breach said that they were breached due to a vulnerability for which a patch was available but not applied. 34% say they actually knew they were vulnerable before the breach occurred.

Given the importance of detecting and patching vulnerabilities, the study investigated how to close these two gaps, helping organizations avoid breaches.

CAPABILITY GAP




Respondents rate their ability in each area on a scale of 1 to 10



57%

of breach victims said they were breached due to an unpatched known vulnerability



34%

of breach victims knew they were vulnerable before they were breached

THE SCANNING GAP



37%

of respondents who were breached say they don't scan for vulnerabilities.


While attackers are getting smarter, it appears that a significant proportion of companies that were breached aren't scanning for vulnerabilities, leaving their organizations exposed to undetected vulnerabilities.

This scanning gap has a direct impact on breach rates. Among respondents that didn't scan, 56% said they had experienced a data breach—as opposed to 45% of those that did scan.

This lack of scanning may also be symptomatic of a broader lack of visibility. While 56% of respondents who don't scan reported a data breach, only 32% of these said that the breach was due to a criminal external attack (i.e. hacking). That number rises to 65% among those that do scan.

Here's the bottom line: Scanning is a quick win. Based on these results, organizations that don't scan can reduce their risk of being breached by 20% simply by starting to scan.

BREACHING RATE



Reduce breach risk by 20% by scanning for vulnerabilities

MANUAL PROCESSES AND SILOED TOOLS DELAY PATCHING

As noted previously, attack severity and volumes are increasing. However, hackers aren't just attacking harder and more often—they are also attacking faster. 53% of respondents said that the time window for patching—the time between patch release and hacker attack—has decreased an average of 29% over the last two years. As AI-fueled attacks become more prevalent, we expect that window to shrink even further.

To prevent data breaches, security teams need to patch more quickly. However, the survey shows that they are being held back by manual processes and disconnected systems that compromise their ability to patch in a timely manner. The majority of respondents (55%) say that they spend more time navigating manual processes than responding to vulnerabilities, and 61% agree that manual processes put them at a disadvantage.



29%

decrease in time window for patching over the last two years



61%

say that manual processes put them at a disadvantage when patching vulnerabilities




65%

say that it is difficult to prioritize what needs to be patched first

12
DAYS

lost coordinating activities across teams for every vulnerability patched



Coordinating across teams increases the patching challenge. Only 16% of respondents say their team is solely responsible for patching, while the rest report an average of 12.1 days lost coordinating across teams for every vulnerability they patch. Reasons for this include:


- Having no common view of assets and applications across security and IT (73%)
- Things slip through the cracks because emails and spreadsheets are used to manage the patching process (57%)
- There is no easy way to track whether vulnerabilities of being patched in a timely manner (62%)

And, it's not just about working slowly. 65% of respondents also say they find it difficult to prioritize what needs to be patched first. Again, this is a symptom of manual processes and disconnected systems.

To accurately prioritize vulnerabilities, you need to know both the severity—as measured by Common Vulnerability Scoring System (CVSS) scores, for example—and the types of business systems affected. However, these two pieces of information typically sit on opposite sides of the security/IT boundary. As evidence of this disconnect, only 34% of respondents said that they use both severity and types of business systems affected to prioritize vulnerabilities.

Security teams shouldn't be discouraged by the problems identified. Instead, these issues point the way forward to a stronger security stance. By automating routine activities and breaking down process and data barriers, security organizations have the opportunity to dramatically accelerate the patching process – and to keep pace with external attackers.

THE PATCHING PARADOX: HIRING MORE DOES NOT EQUAL BETTER SECURITY



50% headcount increase
for patching in the next
12 months

This study uncovered the “patching paradox”—hiring more people does not equal better security. While security teams plan to hire more staffing resources for vulnerability response—and may need to do so – they won’t improve their security posture if they don’t fix broken patching processes first.

Cybersecurity teams already dedicate a significant proportion of their resources to patching. Respondents say that their companies spend 321 hours a week on average—or approximately eight full-time employees—managing the vulnerability response process. Since our survey showed that the average cybersecurity headcount is 28, this represents approximately 29% of security resources.

That number is set to rise. Because they are struggling with manual processes, 64% of respondents say that they plan to hire additional dedicated resources for vulnerability response over the next 12 months. Across these respondents, the planned headcount increase is 3.97 people. This represents 50% growth over today’s staffing levels. Keep in mind that respondents came from organizations ranging from 1,000 employees to more than 75,000, so that headcount increase is likely to far exceed 3.97 in large enterprises.



2 MILLION

global shortage
of cybersecurity
professionals by 2019*



However, organizations may not be able to hire their way out of vulnerability response shortfalls. According to ISACA, a global non-profit IT advocacy group, the global shortage of cybersecurity professionals will reach 2 million by 2019. The job site Indeed reports that demand far outstrips interest, with only 6.67 clicks for every 10 cybersecurity jobs posted in the US – meaning that at least one-third of postings get no views at all. That number drops as low as 3.50 clicks in Germany and 3.16 clicks in the UK. Against this backdrop, organizations will find it extremely difficult to secure the resources they need.

Given the process challenges facing security teams, additional staff will not solve the fundamental issue. As reported earlier, 73% of respondents say they have no common view of assets and applications between security and IT, 57% say that things slip between the cracks because emails and spreadsheets are used to manage the patching process, and 62% say there is no easy way to track whether vulnerabilities of being patched in a timely manner. All of these point to a lack of integrated, end-to-end processes that provide visibility and control across the entire vulnerability response lifecycle.

Automation offers a path forward. By automating routine vulnerability response processes and elevating staff to focus on more critical work, security teams can dramatically reduce breach rates while making the most of existing staff.

* Source: ISACA, 2016

RECOMMENDATIONS



The time to act is now. Breach rates are already extraordinarily high, and emerging AI-fueled threats are likely to increase the volume, speed, and effectiveness of cyberattacks even further. Organizations can't rely solely on hiring amidst a talent shortage to get work done with the manual processes they use today. Security teams need to learn from organizations that avoid breaches and focus on resolving the issues identified in this report.

ServiceNow helps organizations resolve security incidents and vulnerabilities fast. Based on best practices developed with customers, here are five key recommendations from ServiceNow that provide organizations with a pragmatic roadmap to reduce the risk of a breach:

1 | **Take an unbiased inventory of vulnerability response capabilities**

Assess maturity based on the two key capabilities of organizations that avoided a breach: detecting vulnerabilities and patching them in a timely manner. Identify problematic areas, such as cross-department coordination, lack of asset and application visibility, and inability to track the vulnerability lifecycle. Score these areas by estimating the existing risk—for example, based on the delays they introduce into the vulnerability patching process.

2 | **Accelerate time-to-benefit by tackling low-hanging fruit first.**

Start with basic hygiene items that can be addressed quickly. For instance, if security teams don't scan for vulnerabilities, they need to make it a top priority to acquire and deploy a vulnerability scanner. If they do scan, they need to make sure they are doing both external and internal scans, including authenticated scans. Prioritization of vulnerabilities is also essential—for example, based on scanner scores or CVSS scores

as well as understanding the business importance of the affected system. By integrating threat intelligence, security teams can factor in whether a vulnerability has been weaponized or is part of an active campaign.

3 | **Break down data barriers between security and IT.**

Create a common view combining vulnerability and IT configuration data—ideally using a single platform. This lays the foundation for more advanced capabilities, such as prioritizing vulnerabilities based on impacted business systems and routing vulnerabilities to the right IT system owners for patching.

4 | **Define end-to-end vulnerability response processes, and then automate as much as possible.**

Repeatable vulnerability response processes increase accuracy—reducing risk and eliminating rework. Workflow and process automation adds to this by driving significant efficiencies, accelerating patching times and reducing staffing requirements. Pay attention to automated routing, status tracking, measurable SLAs, and automated escalations. Ensure that security teams and IT teams have a shared view of these processes, and create situational awareness by providing dashboards and heat maps.

5 | **Retain talent by focusing on culture and environment.**

People want to work in high-performance organizations where success is the norm. Creating this environment is the best way to attract and retain talent, particularly when competition is high. By breaking down internal barriers, creating optimized processes, and automating mundane work, security teams can dramatically increase job satisfaction and eliminate frustration—making their organization a preferred place to work.

CONCLUSION

In a world where hackers are becoming faster and more intelligent, cybersecurity teams need to redouble their efforts to keep data secure. Given that the majority of victims are breached because of unpatched known software vulnerabilities, effective vulnerability response is a critical weapon in the cybersecurity arsenal. High-performing security teams consistently outperform because they detect vulnerabilities quickly and patch them in a timely manner. To emulate the success of these organizations, security teams need to create the same core competencies.

However, many cybersecurity teams are struggling to build these capabilities. They are disadvantaged by manual processes, wrestle with siloed tools and data, and don't have the resources they need to patch in a timely manner. As a result, these teams suffer significantly higher breach rates, putting their business and customers at risk.

The good news is that these barriers are not insurmountable, as high-performing security teams demonstrate. By automating routine processes and taking care of basic hygiene items, security teams can significantly reduce the risk of a breach. With a pragmatic roadmap, these results are within reach of any organization, offering hope for a more secure future.

